Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Tobacco Stocks Report as of January 1, 1967



U. S. DEPARTMENT OF AGRICULTURE CONSUMER AND MARKETING SERVICE TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Consumer and Marketing Service.

Stephen E. Wrather Director, Tobacco Division.

Washington, D. C. February 16, 1967

CONTENTS	Page
Discussion	3- 5
Conversion factors for adjusting for losses in weight	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent	7
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES WEIGHT)	8-11
Stocks of leaf tobacco, by types and groups of grades	12-15
Summary of tobacco leaf represented in inventories of tobacco sheet	16
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers	17
Stocks of leaf tobacco, summary by types	18



BRIEF CLASSIFICATION OF LEAF TOBACCO

(Covering classes and types)

CLASS 1, FLUE-CURED TYPES

Type 11: Old Belt flue-cured; produced in the Piedmont sections of Virginia and North Carolina.

Type 12: Eastern North Carolina flue-cured; produced in the coastal sections of North Carolina, north of the South River.

Type 13: South Carolina flue-cured; produced in the coastal sections of South Carolina and the south-eastern counties of North Carolina, south of the South River.

Type 14: Georgia and Florida flue-cured; produced in southern Georgia and northern Florida.

CLASS 2. FIRE-CURED TYPES

Type 21: Virginia fire-cured; produced in the Piedmont and mountain sections of Virginia.

Type 22: Tennessee-Kentucky fire-cured, eastern district, Clarksville, Springfield, and Hopkins-ville; produced in a section east of the Tennessee River, in southern Kentucky and northern Tennessee.

Type 23: Kentucky-Tennessee fire-cured, western district, Mayfield, and Murray; produced in a section-between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

CLASS 3, AIR-CURED TYPES

LIGHT AIR-CURED (CLASS 3a)

Type 31: Burley; produced in Kentucky, Tennessee, Ohio, Indiana, West Virginia, Virginia, North Carolina, and Missouri,

Type 32: Southern Maryland; produced in five counties of southern Maryland--Prince Georges, Anne Arundel, Calvert, Charles, and St. Marys.

DARK AIR-CURED (CLASS 3b)

Type 35: One Sucker; produced in north-central Tennessee and south-central Kentucky.

Type 36: Green River; produced in the northern part of Kentucky in the territory adjacent to Owensboro and Henderson.

Type 37: Virginia sun-cured; produced in central Virginia, north of the James River.

CLASS 4, CIGAR-FILLER TYPES

Type 41: Pennsylvania Seedleaf; produced in Lancaster County, Pa., and the adjoining counties.

Type 42-44: Ohio filler; produced in the Miami Valley section of Ohio and extending into Indiana.

Type 46: Puerto Rican sun-grown, including primed (Deshojado) and stalk-cut (Mata); produced on the Island of Puerto Rico.

CLASS 5, CIGAR-BINDER TYPES

Type 51: Connecticut Broadleaf; produced in the Connecticut Valley sections of Connecticut and Massachusetts.

Type 52: Connecticut Havana Seed; produced in the Connecticut and Housatonic Valley sections of Connecticut and Massachusetts.

Type 54: Southern Wisconsin, produced in Wisconsin, south and east of the Wisconsin River.

Type 55: Northern Wisconsin; produced in Wisconsin, north and west of the Wisconsin River, and in eastern Minnesota.

CLASS 6, CIGAR-WRAPPER TYPES

Type 61: Connecticut Shade; produced in the Connecticut Valley sections of Connecticut and Massachusetts.

Type 62: Georgia and Florida Shade; produced in southwestern Georgia and north-central Florida.

MISCELLANEOUS TYPES OF DOMESTIC TOBACCO

Type 72: Louisiana Perique.

Type 73: All domestic types of tobacco not otherwise classified.

FOREIGN TYPES

Type 81: Cuba.

Type 82: Indonesia.

Type 83: Philippine Islands.

Type 84: Brazil.

Type 85: Colombia.

Type 86: Dominican Republic.

Type 87: Paraguay.

Type 88: All foreign-grown cigar-leaf

not otherwise classified.

Type 90: Foreign-grown cigarette and smoking tobacco (Turkish and other).

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/ 2/
Total stocks of leaf tobacco lower than a year ago

Leaf tobacco stocks in the United States and Puerto Rico totaled 5,353 million pounds (farm-sales weight) as of January 1, 1967, based on the quarterly reports of dealers and manufacturers. This is a decrease of 229 million pounds in leaf inventories compared with the previous January 1 (5,582 million).

Marketings by growers of the 1966 crop prior to January 1, 1967, totaled approximately 1,504 million pounds, or 81 percent of the production. About 1,530 million pounds were sold in the corresponding period last year, representing about 82 percent of that year's crop.

Stocks as of January 1 included about 1,156 million pounds (farm-sales weight) of leaf tobacco under Government loans, down 132 million from a year ago. Smaller flue-cured and burley loan holdings accounted for most of the decline. Loan stocks as of January 1, 1967, were divided as follows: Flue-cured, 802.1 million pounds; burley, 275.0 million; Maryland, 21.5 million; fire-cured, 28.0 million; dark-air-cured, 20.4 million; and cigar leaf, 9.3 million

T/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks. (See tables in body of report for reported weight basis.) This report is issued quarterly.

^{2/} All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.

CIGARETTE-LEAF STOCKS

Flue-cured and burley stocks substantially lower Oriental higher, Maryland shows little change

Stocks of <u>flue-cured</u> tobacco totaled 2,820 million pounds on January 1, 1967—a decline of 122 million from last January 1 (2,942 million). Marketing of the 1966 crop was completed by January 1 except for a few clean—up sales. Final producer's sales are extimated at 1,105 million pounds, about 47 million more than the 1965 crop.

Burley tobacco holdings this January 1 were 1,570 million pounds--106 million below the stocks of a year ago (1,676 million). Producer's sales of the 1966 crop on the auction markets prior to January 1 this year totaled about 365 million pounds, or about 66 percent of the crop. About 75 percent of the 1965 crop was marketed through the corresponding date a year earlier.

Maryland stocks as of January 1, 1967, were 89.7 million pounds, only 0.4 million less than were reported a year earlier (90.1 million).

Stocks of <u>foreign-grown cigarette and smoking tobacco</u> (Turkish and other) were 328.5 million pounds--39.3 million more than the inventories of a year ago (289.2 million).

DARK TOBACCO STOCKS

Fire-cured holdings lower Stocks of Dark air-cured show little change

Fire-cured tobacco stocks, reported as 102.8 million pounds on January 1, 1967, were 2.6 million below those of a year ago (105.4 million). Declines occurred in Types 21 and 22 but Type 23 registered a small increase. Virginia fire-cured holdings on January 1, 1967, were 16.3 million pounds; Eastern District Kentucky and Tennessee fir-cured, 66.9; and Western District, 19.6 million. Sales of the 1966 crop of Type 21 on the auction markets prior to January 1 were about 3.7 million pounds (4.6 million up to the same date a year ago). Markets in Types 22 and 23, did not open until after January 1.

Holdings of <u>dark air-cured</u> tobacco totaled 66.2 million pounds on January 1, 1967--1.3 million below that reported a year earlier (67.5 million). The decline was almost entirely in stocks of Type 35 as the other two types showed almost no change from the previous year.

One-Sucker stocks on this January 1 were 38.3 million pounds; Green River, 23.3 million; and Virginia sun-cured, 4.6 million. Auction sales of dark air-cured leaf prior to January 1 totaled around 8.3 million pounds (7.8 million the previous year for the same period).

CIGAR LEAF STOCKS

Domestic types down from a year ago Imported cigar leaf also lower

Holdings by dealers and manufacturers of all domestic types of cigar leaf tobacco were reported as 274.6 million pounds on January 1, 1967 (281.2 million a year earlier). Stocks of foreign-grown cigar leaf totaled 96.2 million pounds--down 30.3 million from last year (126.5 million).

<u>Cigar filler</u> type stocks totaling 176.1 million pounds were 8.1 million smaller than those of a year ago (184.2 million). Pennsylvania Seedleaf stocks this January 1 were 112.3 million pounds; Ohio filler, 15.5 million; and Puerto Rican, 48.3 million.

Stocks of <u>cigar binder</u> types were 67.7 million pounds on January 1, 1967 (66.1 million the previous year). Northern Wisconsin showed a small increase while Connecticut Havana Seed was down slightly. Stocks of Connecticut Valley Broadleaf this January 1 were 14.0 million pounds; Connecticut Valley Havana Seed, 6.0 million; Southern Wisconsin, 20.4 million; and Northern Wisconsin, 27.3 million.

Shade-grown <u>cigar wrapper</u> stocks this January 1 were 30.8 million pounds-practically no change from the previous year (30.9 million). Stocks of Connecticut Valley Shade on January 1, 1967, totaled 20.7 million pounds; and of Georgia-Florida Shade, 10.1 million. It is most likely that all of the 1966 crop of 21.3 million pounds was in stocks by January 1, 1967.

Stocks of <u>Cuban</u> (Havana) leaf were reported at 5.4 million pounds—a decline of 3.8 million from a year ago. Holdings of <u>Philippine Islands</u> (Manila) at 38.4 million were 9.2 million less than on last January 1. Stocks of <u>Indonesian</u> leaf were 5.1 million pounds (down 1.8 million); <u>Brazilian</u>, 12.8 million (down 2.8 million); <u>Columbian</u>, 11.1 million (down 4.6 million); <u>Dominican Republic</u>, 9.8 million (down 6.0 million); <u>Paraguay</u>, 2.4 million (down 2.4 million); and other foreign-grown, 11.3 million (up 0.5 million).

STOCKS OF TOBACCO SHEET (see table 5)

Stocks represented in tobacco sheet show increase

Stocks of leaf represented in inventories of "tobacco sheet" totaled 17.9 million pounds (reporting weight), compared with 11.7 million on the previous January 1. Of the total, 15.7 million pounds were for use in cigarettes and smoking tobacco, and 2.2 million for cigar binder and wrapper.

Table 1.--Factors for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco

AUCTION MARKET AREAS (Types 11-37) 1/

	•	Fac	tors to multi	ply by to	convert -					
Type name	Type	Stemmed s	tocks to -	Unstem	med stock	s to -				
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	number	Unstemmed	: Farm-sales : weight	е е	-sales-we					
	•	equivalent	: equivalent	: From p	acked wei	ght 1/				
Flue-cured	11-14	1.295	1.450	•	1.12					
Virginia fire-cured	21	1.299	1,598	:	1.23					
Tenn. and Ky. fire-cured .		1.324	<u>2</u> / 1.471	•	1.04					
Burley	31	: 1.345	1,506	:	1.12					
Southern Maryland	32	: 1.373	1.400	:	1.02					
One Sucker	35	1.413	1.554	•	1.10					
Green River	35	: 1.389		•	1.13					
Virginia sun-cured		1.326		•	1.15					
viiginia sun-cuted	·	:	1.330	:	1.10					
	•	•		:						
Miscellaneous domestic	: 72-73 :	1.333	1.493	•	1.12					
	: DOMESTIC-GROWN CIGAR LEAF (Types 41-62)									
	:	•		: :		Farm-	: Average for			
		•		: Sweated:	Marked :	sales	Jan. 1, 196			
	:	*	<u>2</u> /	: weight :	weight :	weight	report			
	•	•		3/ :	3/ :	3/	: 3/			
Pennsylvania Seedleaf	41	1.444	1.718	1.19	1.05	1.00	1.02			
Ohio	42-44	1.454		1.19	1.05	1.00				
							1.17			
Puerto Rican	: 46	1.314		1.18	1.16	1.00	1.17 (1.17 U.S.			
Puerto Rican	: 46 :	1.314			1.16					
Puerto Rican	: 46 : : 51	1.314 : 1.375	1.551		1.16		(1.17 U.S.			
	51	•	1.551	1.18		1.00	(1.17 U.S. (1.17 P.R.			
Connecticut Broadleaf Connecticut Havana Seed .	51 52	1.375 1.386	1.551 1.622 1.635	1.18 : 1.18 : 1.18	1.04	1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07			
Connecticut Broadleaf Connecticut Havana Seed . Couthern Wisconsin	51 52 54	1.375 1.386	1.551 1.622 1.635 1.687	1.18 : 1.18 : 1.18	1.04	1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12			
Connecticut Broadleaf	51 52 54 55	1.375 1.386 1.383	1.551 1.622 1.635 1.687	1.18 : 1.18 : 1.18 : 1.22	1.04 1.04 1.06	1.00 1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12 1.02			
Connecticut Broadleaf	51 52 54 55 61	1.375 1.386 1.383 1.404	1.551 1.622 1.635 1.687 1.713	: 1.18 : 1.18 : 1.18 : 1.22 : 1.22	1.04 1.04 1.06 1.06	1.00 1.00 1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12 1.02 1.05			
Connecticut Broadleaf	51 52 54 55 61	: 1.375 : 1.386 : 1.383 : 1.404 : 1.245	1.551 1.622 1.635 1.687 1.713	: 1.18 : : 1.18 : 1.18 : 1.22 : 1.22 : 1.14	1.04 1.04 1.06 1.06	1.00 1.00 1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12 1.02 1.05			
Connecticut Broadleaf	51 52 54 55 61	: 1.375 : 1.386 : 1.383 : 1.404 : 1.245	1.551 1.622 1.635 1.687 1.713	: 1.18 :: 1.18 : 1.18 : 1.22 : 1.22 : 1.22 : 1.14 : 1.14	1.04 1.04 1.06 1.06 1.10	1.00 1.00 1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12 1.02 1.05			
Connecticut Broadleaf Connecticut Havana Seed . Southern Wisconsin Northern Wisconsin	51 52 54 55 61 62	: 1.375 : 1.386 : 1.383 : 1.404 : 1.245 : 1.235	1.551 1.622 1.635 1.687 1.713 1.419 1.408	: 1.18 :: 1.18 : 1.18 : 1.22 : 1.22 : 1.22 : 1.14 : 1.14	1.04 1.04 1.06 1.06 1.10 1.10	1.00 1.00 1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12 1.02 1.05			
Connecticut Broadleaf Connecticut Havana Seed . Southern Wisconsin Northern Wisconsin	51 52 54 55 61 62	: 1.375 : 1.386 : 1.383 : 1.404 : 1.245	1.551 1.622 1.635 1.687 1.713 1.419 1.408	: 1.18 :: 1.18 : 1.18 : 1.22 : 1.22 : 1.22 : 1.14 : 1.14	1.04 1.04 1.06 1.06 1.10	1.00 1.00 1.00 1.00 1.00	(1.17 U.S. (1.17 P.R. 1.07 1.12 1.02 1.05			

^{1/} Types 11-37 are reported on the basis of packed weight.

^{2/} Farm-sales-weight equivalent based on unstemmed sweated weight factor.

^{3/} The instructions for reporting unstemmed cigar-leaf of the domestic types require that dealers and manufacturers indicate the weight basis on which the tobacco is reported, namely, farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of average factors reflecting the percentage reported each quarter in each of these three categories.

Table 2.--Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1967, compared with other quarters $\underline{1}/$

FARM-SALES WEIGHT

	: "		January 1,	:			*
Type name	: U.S. :				October 1,	July 1,	April 1,
Type name	number		-		1966	1966	1966
		1,000 lb.	1,000 1ь.	1,000 1ь.	1,000 1ь.	1,000 1ь.	1,000 lb,
Flue-cured	11-14	2,819,584	2,941,996	3,041,674	2,736,413	2,438,835	2,679,523
Virginia fire-cured	21		17,956	19,268	16,893	19,129	21,050
Tennessee and Kentucky fire-cured (Eastern District)	22		69,093	71,010	74,319	82,064	88,047
Kentucky and Tennessee fire-cured (Western District)	23	19,617	18,334	18,800	21,484	24,049	26,436
Total Fire-cured	21-23	102,762	105,383	109.078	112,696	125,242	135,533
Burley	: 31 :	1,570,039	1,676,315	1,680,261	1,395,344	1,562,890	1,694,728
Southern Maryland	32	89,683	90,146	81,990	99,741	108,206	81,474
Total Light Air-cured	31-32	1,659,722	1,766,461	1,762,251	1,495,085	1,671,096	1,776,202
One Sucker	35	38,301	39,687	40,645	37,947	42,328	44,353
Green River	: 36 :	23,249	23,242	21,456	22,695	23,753	25,237
Virginia sun-cured	: 37 :	4,614	4,613	4,461	4,308	4,854	5,280
Total Dark Air-cured	35-37		67,542	66,562	64,950	70,935	74,870
Pennsylvania Seedleaf	41	112,276	112,423	125,611	127,747	137,122	142,760
	42-44	15,549	15,380	16,784	16,245	17,723	19,244
In United States	46	14,571	17,291	17,385	15,091	15,488	16,202
In Puerto Rico	46	33,681	39,100	27,884	36,693	44,072	43,091
Total Cigar-filler	41-46	176,077	184,194	187,664	195,776	214,405	221,297
Connecticut Valley Broadleaf	51		13,666	13,752	13,909	14,738	15,797
Connecticut Valley Havana Seed	: 52 :		7,396	9,125	5,412	5,885	6,571
Southern Wisconsin	54 :		20,066	21,566	22,423	24,103	26,390
Southern Wisconsin	55	27,349	24,956	23,838	28,164	30,032	32,749
Total Cigar-binder	51-55	67,734	66,084	68,281	69,908	74,758	81,507
Connecticut shade	61	20,690	19,555	18,830	20,491	16,283	18,825
Georgia and Florida shade	62 :	10,116	10,943	10,158	10,476	8,185	10,323
Total Cigar-wrapper	61-62		30,948	28,988	30,967	24,468	29,148
Perique	72 :	674	698	630	828	863	1,027
Other Miscellaneous Domestic 2/	73	.,	3,495	2,483	4,522	4,666	4,051
Total Miscellaneous Domestic	72-73		4,193	3,113	5,350	5,529	5,078
Cuba	81	5,382	9,212	14,465	5,953	6,779	7,844
Indonesia	82 :	•	6,918	7,129	5,586	5,989	6,629
Philippine Islands	83 :	38,384	47,586	28,037	42,486	45,281	47,170
Brazil	84 :		15,587	11,995	13,180	14,033	15,284
Colombia	85 :	,	15,745	17,726	12,198	13,826	15,883
Dominican Republic	86 :	. ,	15,786	23,460	11,589	12,286	15,031
Paraguay	87 :	-,	4,784	3,485	3,286	4,118	4,305
Other foreign-grown cigar-leaf	88 :	11,300 96,224	10,852	7,581	12,271	11,414	10,601
Total Imported Cigar-leaf	81-88		126,470	113,878	106,549	113,726	122,747
Foreign-grown cigarette & smoking							
tobacco (Turkish and other)	90	328,516	289,255	284,584	324,582	365,028	352,963
Total All Types	: : 11-90 :	5,352,967	5,582,076	5,666,073	5,142,276	5,104,022	5,478,868

 $[\]underline{\mathcal{U}}$ Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

^{2/} For explanation of stocks included in this classification, see footnote 5 on page 15.

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1961-66 $\underline{1}/$

TOTAL ALL TYPES 11-62

Marketing	:	Carryover	stocks 2/		: _		:	Disappearan	ce	Average price
year	Manu- facturers	Inder	: Other		Pro- duction	Total supply	•	: : Export	: Other	to grower:
	<u>:</u>		:		:	:		:	:	: 510401
	: Million : pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cent
1961	2,690.6	665.5	390.5	3,746,6	2,091.8	5,838.4	2,083.2	590.1	1,493.1	63.4
	2,882.8	488.1	384.3	3,755.2	2,350.1	6,105.3	2,032.2	530.0	1,502.2	58.0
1,00	: 2,910.3	678.4	484.4	4,073.1	2,375.5	6,448.6	2,075.4	608.7	1,466.7	57.4
	: 2,868.1	1,051.5	453.6	4,372.2	2,265.7	6,638.9	2,081.0	548.6	1,532.4	58.8
1965 1966	: 2,791.6 : 2,789.9	1,315.9 1,174.9	450.4 436.9	4,557.9 4,401.7	1,871.0 4/1,844.1	6,428.9 <u>3</u> /6,245.8	3/2,026.6	537.2	1,489.4	
					CURED, TYPES				-	
	: 1,336.8	506.7	246.6	2,090.1	1,257.9	3,348.0	1,266.9	485.5	781.4	64.
	: 1,467.3	377.0	236.8 307.3	2,081.1	1,408.4	3,489.5	1,207.9 1,266.7	430.9 498.4	777.0 768.3	60. 58.
	: 1,478.0 : 1,406.2	496.3 696.9	283.3	2,281.6 2,386.4	1,371.5 1,387.8	3,653.1 3,774.2	1,218.8	498.4 444.1	708.3	58. 58.
	: 1,362.9	918.5	274.0	2,555.4	1,059.0	3,614.4	3/1,175.5	422.0	753.5	64.
1966	: 1,349.2	836.4	253.3	2,438.8	4/1,100.5	3/3,539,3	2) 1,1/3-			
					A FIRE-CUREI eptember Mar), TYPE 21 cketing Year	·)			
1961	: 12.7	5.0	3.2	20.9	9.8	30.7	10.8	5.3	5.5	38.
	: 11.9	5.1	2.9	19.9	9.5	29.4	9.2	5.1	4.1	38.
	: 11.4	4.9	3.9	20.2	6.2	26.4	9.7	6.6	3.1	35.
	: 10.3	4.3	2.2	16.8	9.1	25.9	10.3	6.4 5.3	3.9 3.0	43.
1965 1966	8.6	3.3	3.7 5.0	15.6	9.6 4/9.2	25.2 3/26.1	<u>3</u> /8.3	J.J	3.0	39.
					TAL, TYPES 2	22-23 rketing Year	.)			
								29.6	17.1	40.
	: 47.9	26.8	18.1	92.8	43.3 44.6	136.1 134.0	46.7 40.8	19.7	21.1	38.
	: 48.1 : 47.0	26.1 31.0	15.2 15.2	89.4 93.2	49.7	142.9	41.4	21.8	19.6	36.
	: 48.0	37.8	15.7	101.5	46.0	147.5	42.8	21.0	21.8	41.
	: 51.0	32.3	21.5	104.8	36.6	141.4	3/45.6	27.6	18.0	43.
1966	: 48.0	25.9	21.9	95.8	4/40.2	3/136.0				
			T			PIRE-CURED, arketing Yea				
	: 40.6	20.0	13.4	74.0	32.1	106.1	33.9			40.
	: 41.2	18.7	12.3	72.2	32.2	104.4	31.0			39.
	: 40.1	21.6	11.7	73.4	36.2	109.6	29.9			37.
	: 40.4	26.9	12.4	79.7	33.3	113.0	31.1			42. 44.
1965 1966	: 43.4 : 40.6	21.7 17.7	16.8 16.0	81.9 74.3	26.2 4/29.1	108.1 3/103.4	<u>3</u> /33.8			44.
	10,0	2.1.				FIRE-CURED,	TYPE 23			
				(October	-September 1	Marketing Ye	ar)			
	: 7.3	6.8	4.7	18.8	11.2	30.0	12.8			38. 36.
1962	6.9	7.4	2.9	17.2	12.4	29.6 33.3	9.8 11.5			35.
1065	: 6.9	9.4	3.5	19.8	13.5					
			2 2	21 0	19 7	2/, 5	11 7			38.
1964	7.6 7.6	10.9	3.3 4.6	21.8 22.8	12.7 10.4	34.5 33.2	11.7 3/11.7			38. 40.

See footnotes at end of table.

Continued--

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1961-66 1/

BURLEY, TYPE 31 (October-September Marketing Year)

Markatina	: :	Carryover	stocks 2/			: Total		isappearanc	e	Average price
Marketing year	Manu- facturers	Under loan		Total		supply	Total	_		to growers
	: Million	Million	Million	Million	Million	Million	Million	Million	Million	<u> </u>
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	Cent
1961	989.2	88.0	50.1	1,127.3	580.3	1,707.6	570.2	45.2	525.0	66.5
1962	: 1,049.3	33.2	54.9	1,137.4	674.9	1,812.3	584.4	53.5	530.9	58.
1963	: 1,043.7	94.4	89.8	1,227.9	755.1	1,983.0	570.8	57.4	513.4	59.
1964	: 1,059.7	265.4	87.1	1,412.2	619.8	2,032.0	616.3	55.6	560.7	60.
1965 1966	: 1,023.0 : 1,065,4	316.4 261.9	76.3 68.0	1,415.7 1,395.3	586.3 4/545.6	2,002.0 3/1.940.9	3/606.7	57.1	549.6	66.
			(Oct		D, TYPE 32	ng Year)				
	: 42.9	3.5	23.6	70.0	38.8	108.8	32.6	11.9	20.7	62.
	: 43.5	7.1	25.6	76.2	40.6	116.8	30.8	11.2	19.6	55.
	: 53.6 : 53.3	10.7 16.6	21.7 19.7	86.0 89.6	34.5 42.3	120.5	31.0	12.5	18.5	43.
	: 53.3 : 54.2	20.2	24.5	89.6 98.9	42.3 38.5	131.9 137.4	33.0	9.6	23.4	62.
1966	: 47.4	20.2	32.1	99.7	4/36.0	3/135.7	<u>3</u> /37.7	11.0	5/26.7	68.
			(Oct		TYPES 35-36 ber Marketi	ng Year)				
1961	: 36.6	15.6	5.0	57.2	20.6	77.8	22.6	4.7	17.9	37.
	36.2	15.8	3.2	55.2	22.5	77.7	19.5	3.0	16.5	36.
	: 36.0	17.8	4.4	58.2	24.2	82.4	21.2	3.1	18.1	33.
1964	34.6	21.4	5.2	61.2	22.7	83.9	22.0	4.0	18.0	37.
	36.6	21.3	4.0	61.9	18.5	80.4	$\frac{3}{19.8}$	3.6	16.2	37.
_1966	: 36.3	19.6	4.7	60.6	4/20.0	3/80.6				
			(0ct		KER, TYPE 3: ber Marketi					
	: 24.4	9.4	4.1	37.9	13.6	51.5	16.3	3.6	12.7	39.
				35.2	14.9	50.1	12.8	2.4	10.4	36.
1962	: 24.0	8.8	2.4							
1962 1963	: 24.0 : 23.5	9.9	3.9	37.3	16.3	53.6	14.3	2.3	12.0	
1962 1963 1964	: 24.0 : 23.5 : 21.7	9.9 14.1	3.9 3.5	37.3 39.3	15.1	54.4	14.8	2.8	12.0	37.
1962 1963 1964	: 24.0 : 23.5	9.9	3.9	37.3						37.
1962 1963 1964 1965	: 24.0 : 23.5 : 21.7 : 22.7	9.9 14.1 13.7	3.9 3.5 3.2 3.8	37.3 39.3 39.6 37.9	15.1 11.9	54.4 51.5 3/51.4	14.8	2.8	12.0	33.6 37.6 37.6
1962 1963 1964 1965 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8	37.3 39.3 39.6 37.9 GREEN RI	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin	54.4 51.5 3/51.4 6 ng Year)	14.8 <u>3</u> /13.6	2.8	12.0 10.7	37. 37.
1962 1963 1964 1965 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI cober-Septem	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin	54.4 51.5 3/51.4 6 ng Year)	14.8 3/13.6	2.8 2.9	12.0 10.7	37. 37.
1962 1963 1964 1965 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI cober-Septem	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin	54.4 51.5 3/51.4 6 ng Year)	14.8 <u>3</u> /13.6	2.8	12.0 10.7	37. 37.
1962 1963 1964 1965 1966 1961 1961 1962 1963	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI cober-Septem 19.3 20.0 20.8	15.1 11.9 4/13.5 VER, TYPE 30 ber Merketin 7.0 7.6	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6	14.8 3/13.6	2.8 2.9	12.0 10.7	37. 37. 35. 35.
1962 1963 1964 1965 1966 1961 1962 1963 1964	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI cober-Septem	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin 7.0 7.6 7.9	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7	14.8 3/13.6	2.8 2.9	12.0 10.7 5.3 6.1 6.0	37. 37. 35. 35. 35.
1962 1963 1964 1965 1966 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5 : 12.9	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI ober-Septem 19.3 20.0 20.8 21.8	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin 7.0 7.6 7.9 7.6	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7 29.4	14.8 3/13.6 6.3 6.7 6.9 7.2	2.8 2.9	12.0 10.7 5.3 6.1 6.0 6.0	37. 37. 35. 35. 35.
1962 1963 1964 1965 1966 1961 1962 1962 1963 1964 1965	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5 : 13.9	9.9 14.1 13.7 11.7 6.2 7.0 7.9 7.3 7.6	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI ober-Septem 19.3 20.0 20.8 21.8 22.3 22.7	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin 7.0 7.6 7.9 7.6 6.6	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7 29.4 28.9 3/29.2	14.8 3/13.6 6.3 6.7 6.9 7.2	2.8 2.9	12.0 10.7 5.3 6.1 6.0 6.0	37. 37. 35. 35. 35.
1962 1963 1964 1965 1966 1961 1961 1961	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5 : 12.9 : 13.9 : 13.9	9.9 14.1 13.7 11.7 6.2 7.0 7.9 7.3 7.6	3.9 3.5 3.2 3.8 (Oct	37.3 39.3 39.6 37.9 GREEN RI ober-Septem 19.3 20.0 20.8 21.8 22.3 22.7 VIRGINIA S ober-Septem	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin 7.0 7.6 6.6 4/6.5 UN-CURED, There Marketin 2.2	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7 29.4 28.9 3/29.2 YPE 37 ng Year)	14.8 3/13.6 6.3 6.7 7.2 3/6.2	1.0 .6 .9 1.2 .7	12.0 10.7	37. 37. 35. 35. 34. 35. 36.
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5 : 13.9 : 13.9 : 4.5 : 4.6	9.9 14.1 13.7 11.7 6.2 7.0 7.9 7.3 7.6 7.9	3.9 3.5 3.2 3.8 (Oct .9 .8 .4 1.6 .8 .9	37.3 39.3 39.6 37.9 GREEN RI tober-Septem 19.3 20.0 20.8 21.8 22.3 22.7 VIRGINIA S ober-Septem 5.0 5.1	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin 7.0 7.6 7.9 7.6 6.6 4/6.5 UN-CURED, There Marketin 2.2 2.3	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7 29.4 28.9 3/29.2 ZPE 37 ng Year)	14.8 3/13.6 6.3 6.7 6.9 7.2 3/6.2	1.0 .6 .9 1.2 .7	12.0 10.7 5.3 6.1 6.0 5.5	37. 37. 35. 35. 34. 35. 36.
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5 : 12.9 : 13.9 : 13.9 : 4.5 : 4.6 : 4.7	9.9 14.1 13.7 11.7	3.9 3.5 3.2 3.8 (Oct .9 .8 .4 1.6 .8 .9	37.3 39.3 39.6 37.9 GREEN RI tober-Septem 19.3 20.0 20.8 21.8 22.3 22.7 VIRGINIA S ober-Septem 5.0 5.1 5.1	15.1 11.9 4/13.5 VER, TYPE 3 ber Marketin 7.0 7.6 7.6 6.6 6.6 6/6.5 UN-CURED, The Marketin 2.2 2.3 1.1	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7 29.4 28.9 3/29.2 CPE 37 ng Year) 7.2 7.4 6.2	14.8 3/13.6 6.3 6.7 6.9 7.2 3/6.2	1.0 .6 .9 1.2 .7	12.0 10.7 5.3 6.1 6.0 6.0 5.5	37. 37. 35. 35. 35. 36.
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 24.0 : 23.5 : 21.7 : 22.7 : 22.4 : 12.2 : 12.2 : 12.5 : 13.9 : 13.9 : 4.5 : 4.6	9.9 14.1 13.7 11.7 6.2 7.0 7.9 7.3 7.6 7.9	3.9 3.5 3.2 3.8 (Oct .9 .8 .4 1.6 .8 .9	37.3 39.3 39.6 37.9 GREEN RI tober-Septem 19.3 20.0 20.8 21.8 22.3 22.7 VIRGINIA S ober-Septem 5.0 5.1	15.1 11.9 4/13.5 VER, TYPE 30 ber Marketin 7.0 7.6 7.9 7.6 6.6 4/6.5 UN-CURED, There Marketin 2.2 2.3	54.4 51.5 3/51.4 6 ng Year) 26.3 27.6 28.7 29.4 28.9 3/29.2 ZPE 37 ng Year)	14.8 3/13.6 6.3 6.7 6.9 7.2 3/6.2	1.0 .6 .9 1.2 .7	12.0 10.7 5.3 6.1 6.0 5.5	37.

See footnotes at end of table.

Continued--

Table 3.--Froduction, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1961-66 1/
PENNSYLVANIA SEEDLEAF, TYPE 41
(October-September Marketing Year)

Marketing	:	Carryover	stocks 2/	:	:		D	isappearan	ce	Average price
year	Manu- facturers	Under loan	Other :	Total	Pro- duction	Total supply	Total :	_	0ther	to growers
	: Million : pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
	: 99.7		15.2	114.9	53.5	168.4	45.5	.1	45.4	27.0
	: 105.3	_	17.6	122.9	60.0	182.9	55.0	.3	54.7	23.5
	: 109.7	-	18.3	128.0	51.8	179.8	41.6	.5	41.1	21.0
	: 119.1	-	19.0	138.1	45.9	184.0	54.6	.5	54.1	27.0
1965 1966	: 112.3 : 105.5	-	17.1 22.2	129.4 127.7	51.3 4/42.5	180.7 3/170.2	3/53.0	1.8	51.2	24.0
1700	. 107,5		MIA	MI VALLEY	(OHIO) FILLER	, TYPES 42-	44			
1961	: 17.1		.5	17.6	7.7	25.3	5.1		5.1	28.3
	: 19.8	-	.4	20.2	7.5	27.7	6.6		6.6	28.2
	: 20.1	.1	.9	21.1	6.8	27.9	8.7		8.7	27.
1964	: 18.0	.6	.6	19.2	5.8	25.0	8.0		8.0	26.
1965	: 15.4	.1	1.6	17.0	5.5	22.5	<u>3</u> /6.3		6.3	26.
1966	: 14.6	.1	1.5	16,2	4/6.5	3/22.7				
					ICAN FILLER, ptember Mark					
	: 31.8	-	11.5	43.3	30.7	74.0	32.4	-	32.4	36.8
	: 28.6	-	13.0	41.6	35.6	77.2	28.0	_	28.0	38.
	: 38.5	-	10.7	49.2	32.0	81.2	29.8	.2	29.6	40.
1964	: 41.3	-	10.1	51.4	37.9	89.3	26.7	-	26.7	37.2
1965 1966	: 45.8 : 34.5		16.8 17.2	62.6 51.8	16.6 4/15.0	79.2 3/66.8	3/27.4		27.4	31.
					BINDER, TYPE mber Marketi					
	: 14.4	13.8	3.0	31.2	5.5	36.7	6.9	1.2	5.7	42.
	: 12.5	13.4	3.9	29.8	5.3	35.1	9.5	. 9	8.6	48.
	: 12.3	9.9	3.4	25.6	5.9	31.5	8.6	1.6	7.0	47.
	: 15.2	4.4	3.3	22.9	5.7	28.6	7.3	2.1	5.2	47.
1965 1966	: 14.6 : 12.7	2.9 3.7	3.8 2.9	21.3 19.3	4.9 3.5	26.2 22.8	6.9	2.1	4.8	47.0
			C	ONNECTICUT	BROADLEAF, T mber Marketin					
	: 8.8	8.9	1.7	19.4	3.1	22.5	3.7	.1	3.6	43.
1961	: 8.6	8.1	2.1	18.8	2.9	21.7	6.2	.2	6.0	53.5
							4.6	.3	4.3	51.0
1962	: 9.5	3.9	2.1	15.5	3.7	19.2			4.3	21.0
1962 1963 1964	: 9.5 : 11.6	.3	2.1	15.5 14.6	3.7	19.2 18.4	3.7		4.3	
1962 1963 1964 1965	: 11.6 : 11.4	.3	2.7 3.1	14.6 14.7	3.8 3.5	18.4 18.2			4.3	50.0
1962 1963 1964	: 11.6	.3	2.7 3.1 2.5	14.6 14.7 13.9 NNECTICUT E	3.8 3.5 4/2.2 IAVANA SEED, 1	18.4 18.2 16.1	3.7		4.3	50.0
1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4	.3 .2 1,0	2.7 3.1 2.5 CO (Oc	14.6 14.7 13.9 NNECTICUT E	3.8 3.5 4/2.2 AVANA SEED, 2 mber Marketin	18.4 18.2 16.1 TYPE 52 ng Year)	3.7 <u>3</u> /4.3			50.0 47.0
1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4	.3 .2 1.0	2.7 3.1 2.5 CO (Oc	14.6 14.7 13.9 NNECTICUT E tober-Septe	3.8 3.5 4/2.2 MAVANA SEED, 7 mber Marketin 2.4	18.4 18.2 16.1 TYPE 52 ng Year)	3.7 <u>3</u> /4.3	1.1	2.1	50.0 47.0
1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9	.3 .2 1.0	2.7 3.1 2.5 CO (Oc	14.6 14.7 13.9 NNECTICUT E tober-Septe	3.8 3.5 4/2.2 AAVANA SEED, 2 mber Marketin 2.4 2.4	18.4 18.2 16.1 TYPE 52 ng Year) 14.2 13.4	3.7 3/4.3 3.2 3.3	1.1	2.1	40.6 42.5
1962 1963 1964 1965 1966 1961 1962 1963	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8	.3 .2 1.0	2.7 3.1 2.5 CO (Oc	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1	3.8 3.5 4/2,2 IAVANA SEED, 2 mber Marketin 2.4 2.4 2.2	18.4 18.2 16.1 TYPE 52 ng Year) 14.2 13.4 12.3	3.7 2/4.3 3.2 3.3 4.0	1.1	2.1	40.6 42.5 41.6
1962 1963 1964 1965 1966 1961 1962 1963 1964	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6	4.9 5.3 6.0 4.1	2.7 3.1 2.5 C0 (0c	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3	3.8 3.5 4/2.2 MAVANA SEED, mber Marketin 2.4 2.4 2.2 1.9	18.4 18.2 16.1 TYPE 52 ng Year) 14.2 13.4 12.3 10.2	3.7 3/4.3 3.2 3.3 4.0 3.6	1.1	2.1	40.6 42.1 41.6 43.8
1962 1963 1964 1965 1966 1961 1962 1963 1964	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6	.3 .2 1.0	2.7 3.1 2.5 CO (Oc	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1	3.8 3.5 4/2,2 IAVANA SEED, 2 mber Marketin 2.4 2.4 2.2	18.4 18.2 16.1 TYPE 52 ng Year) 14.2 13.4 12.3	3.7 2/4.3 3.2 3.3 4.0	1.1	2.1	40.6 42.5 41.6 43.8 47.6
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6 : 3.2	4.9 5.3 6.0 4.1 2.7	2.7 3.1 2.5 CO (Oc	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3 6.6 5.4	3.8 3.5 4/2.2 IAVANA SEED, 7 mber Marketin 2.4 2.4 2.2 1.9 1.4	18.4 18.2 16.1 TYPE 52 18 Year) 14.2 13.4 12.3 10.2 8.0 6.7	3.7 3/4.3 3.2 3.3 4.0 3.6	1.1	2.1	40.6 42.1 41.6 43.8
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6 : 3.2 : 2.3	.3 .2 1.0 4.9 5.3 6.0 4.1 2.7	2.7 3.1 2.5 C0 (0c 1.3 1.8 1.3 .6 .7 .4	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3 6.6 5.4 WISCONSIN ctober-Sept	3.8 3.5 4/2.2 MAVANA SEED, 7 mber Marketin 2.4 2.2 1.9 1.4 4/1,3 BINDER, TYPE: ember Market:	18.4 18.2 16.1 TYPE 52 ng Year) 14.2 13.4 12.3 10.2 8.0 6.7	3.7 3/4.3 3.2 3.3 4.0 3.6 3/2.6	1.1 .7 1.3	2,1 2,6 2.7	40.6 42.5 41.6 43.8 47.6
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6 : 3.2 : 2.3	.3 .2 1,0 4.9 5.3 6.0 4.1 2.7 2.7	2.7 3.1 2.5 C0 (0c 1.3 1.8 1.3 .6 .7 .4	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3 6.6 5.4 WISCONSIN ctober-Sept	3.8 3.5 4/2.2 MAVANA SEED, 7 mber Marketin 2.4 2.2 1.9 1.4 4/1.3 BINDER, TYPE: ember Market:	18.4 18.2 16.1 TYPE 52 ng Year) 14.2 13.4 12.3 10.2 8.0 6.7 5.54-55 Ing Year)	3.7 3/4.3 3.2 3.3 4.0 3.6 3/2.6	1.1 .7 1.3	2.1 2.6 2.7	40.6 42.1 41.4 43.8 47.0
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6 : 3.2 : 2.3	.3 .2 1,0 4.9 5.3 6.0 4.1 2.7 2.7	2.7 3.1 2.5 CO (Oc 1.3 1.8 1.3 .6 .7 .4	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3 6.6 5.4 WISCONSIN ctober-Septe 48.7 51.1	3.8 3.5 4/2.2 IAVANA SEED, 7 mber Marketin 2.4 2.2 1.9 1.4 4/1.3 BINDER, TYPE: ember Market:	18.4 18.2 16.1 TYPE 52 18 Year) 14.2 13.4 12.3 10.2 8.0 6.7 5.54-55 Ing Year) 71.1 70.7	3.7 2/4.3 3.2 3.3 4.0 3.6 3/2.6	1.1 .7 1.3	2.1 2.6 2.7	40.6 42.1 41.6 43.4 47.0
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6 : 3.2 : 2.3	.3 .2 1,0 4.9 5.3 6.0 4.1 2.7 2.7	2.7 3.1 2.5 CO (Oc 1.3 1.8 1.3 .6 .7 .4	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3 6.6 5.4 WISCONSIN ctober-Sept	3.8 3.5 4/2.2 MAVANA SEED, 7 mber Marketin 2.4 2.2 1.9 1.4 4/1.3 BINDER, TYPE: ember Market: 22.4 19.6 18.0	18.4 18.2 16.1 TYPE 52 18 Year) 14.2 13.4 12.3 10.2 6.7 5 54-55 ling Year) 71.1 70.7 69.9	3.7 3/4.3 3.2 3.3 4.0 3.6 3/2.6	1.1 .7 1.3	2.1 2.6 2.7	40.6 47.6 40.4 42.4 41.4 43.4 47.6
1962 1963 1964 1965 1966 1961 1962 1963 1964 1965 1966	: 11.6 : 11.4 : 10.4 : 10.4 : 5.6 : 3.9 : 2.8 : 3.6 : 3.2 : 2.3	.3 .2 1,0 4.9 5.3 6.0 4.1 2.7 2.7	2.7 3.1 2.5 CO (Oc 1.3 1.8 1.3 .6 .7 .4	14.6 14.7 13.9 NNECTICUT E tober-Septe 11.8 11.0 10.1 8.3 6.6 5.4 WISCONSIN ctober-Septe 48.7 51.1	3.8 3.5 4/2.2 IAVANA SEED, 7 mber Marketin 2.4 2.2 1.9 1.4 4/1.3 BINDER, TYPE: ember Market:	18.4 18.2 16.1 TYPE 52 18 Year) 14.2 13.4 12.3 10.2 8.0 6.7 5.54-55 Ing Year) 71.1 70.7	3.7 2/4.3 3.2 3.3 4.0 3.6 3/2.6	1.1 .7 1.3	2.1 2.6 2.7	40 42 41 43 47

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1961-66 1/

SOUTHERN WISCONSIN, TYPE 54 (October-September Marketing Year)

Marketing	:	Carryover s	tocks 2/		Pro-	Total	D	isappearanc	е	Average
year	Manu- facturers	Under loan	Other :	Total	duction	supply	Total :	Export	Other	to growers
	: Million : pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1961	: 15.8	3.1	4.4	23.3	9.0	32.3	9.0	.1	8.9	28.7
1962	: 17.2	3.8	2.3	23.3	8.7	32.0	7.7	-	7.7	29.3
1963	: 19.6	3.4	1.3	24.3	8.3	32.6	9.7	-	9.7	30.0
1964	: 20.3	1.3	1.3	22.9	8.7	31.6	8.9	-	8.9	32.2
1965	: 21.8	.2	.7	22.7	8.5	31.2	8.8			29.7
1966	: 21.1	.5	.8	22,4	4/7.3	29.7				
			(0		WISCONSIN,					
			(0	ctober-Sept	ember Marke	ting Year)				
1961	: 21.0	3.0	1.4	25.4	13.4	38.8	11.0	.4	10.6	29.6
1962	: 18.2	6.6	3.0	27.8	10.9	38.7	11.2	.2	11.0	29.1
1963	: 15.5	9.9	2.2	27.6	9.7	37.3	12.4	-	12.4	31.6
1964	: 19.9	2.8	2.1	24.8	11.2	36.0	9.2	.6	8.6	35.8
1965	23.5	.8	2.5	26.8	10.8	37.6	9.4			28.9
1966	: 23.0	3.1	2.0	28.2	4/10.3	38.5				
					WRAPPER, T me Marketin					
1961	: 20.1	-	7.3	27.4	19.2	46.6	21.2	5.9	15.3	214.0
1962	: 20.3	-	5.1	25.4	19.3	44.7	19.6	4.9	14.7	233.0
1963	: 20.1	-	5.0	25.1	18.7	43.8	21.7	6.3	15.4	240.0
1964	: 18.4	-	3.7	22.1	21.1	43.2	21.6	4.3	17.3	244.6
1965	: 18.1	-	3.5	21.6	22.9	44.5	20.0	5.1	14.9	228.2
1966	: 20.1		4.4	24.5	4/21,5	3/45.8				
					UT SHADE, T					
1061	12 (16.0	10.2	27.0	12.0	2.2	0.7	235.0
	: 12.6	-	4.3	16.9	10.3 11.9	27.2 27.1	12.0 11.1	3.3 2.8	8.7 8.3	250.0
1962 1963	: 12.4 : 13.2	-	2.8 2.8	15.2 16.0	11.9	28.0	14.1	4.1	10.0	260.0
	: 13.2	_			13.5	27.4	13.2	3.1	10.0	250.0
1964 1965	: 12.9	-	1.0 1.6	13.9 14.2	14.6	28.8	12.5	3.3	9.2	230.0
_1966	: 13.9		2.4	16.3	4/14.2	3/30.5	12.5	3.3	7.2	230.0
			GE		LORIDA SHAD					
	: 7.5	-	3.0	10.5	8.8	19.3	9.1	2.6	6.5	190.0
1962	: 7.9	-	2.3	10.2	7.4	17.6	8.5	2.1	6.4	205.0
1963	: 6.9	-	2.2	9.1	6.7	15.8	7.6	2.2	5.4	205.0
1964	: 5.5	-	2.7	8.2	7.6	15.8	8.5	1.2	7.3	235.0
1965	: 5.4	-	1.9	7.3	8.3	15.6	7.4	1.8	5.6	225.0
1966	: 6.2		2.0	8,2	4/7.3	3/15.5				

^{1/} Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

^{2/} The carryover stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

^{3/} Subject to revision.4/ November 1 estimate, U. S. Crop Reporting Board, SRS.

^{5/} Includes 2.0 million pounds destroyed by fire.

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1967 compared with January 1, 1966, and October 1, 1966

REPORTED WEIGHT

Type 11, 01d a	nd Middle Rele	flue-cured		TYPES 11-14	- FLUE-CURED	•			
Type II, Old a		nuary 1, 1967	2/ :	.Te	nuary 1, 1966	:	0.0	tober 1, 1966	
Group	Unstemmed:			Unstemmed:		Total :	Unstemmed:		Total
		1,000 1ь.	1,000 lb. :		1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	405,061	436,860	841,921 :	423,651	416,539	840,190 :	385,382	344,770	730,152
Type 12, Easte Total Leaf :		ina flue-cur	ed 669,497 :	294,523	412,844	707,367 :	290,304	379,587	669,891
Type 13, South Total Leaf :		317,708	430,428 :	147,863	346,686	494,549 :	145,328	324,975	470,303
Type_14, Georg	ia and Florida	flue-cured							
Total Leaf :	66,181	120,554	186,735 :	61,547	131,145	192,692 :	79,249	135,651	214,900
Types 11-14, T									
Total Leaf :		1,283,962	2,128,581 :	927.584	1,307,214	2,234,798 :	900,263	1,184,983	2,085,246
Other Leaf 1/: Total :		7,105 1,291,067	8,501 : 2,137,082 :	755 928,339	4,687 1,311,901	5,442 : 2,240,240 :	901,108	6,170	7,015 2,092,261
	840,013	1,291,007	2,137,002.	920,339	1,311,301	2,240,240 .	701,100		2,032,201
Type 21, Virgi	nia fire-cured			TYPES 21-23	- FIRE-CURED)			
Total Leaf :		93	13,184:	14,403	150	14.553:	13,594	108	13,702
Type 22, Tenne	sees and Ventu	icky fire-cur	od (Factorn D	Hetriat)					
Total Leaf :		540	64,098 :	65,604	588	66,192 :	70,629	588	71,217
Type 23, Kentu	cky and Tennes	see fire-cur	ed (Western D	Metrict)					
Total Leaf :		7	18,860 :		11	17,624:	20,609	35	20,644
Types 21-23, T	atal fimo-aumo	.a							
Total Leaf :		640	96,142 :	97,620	749	98.369 :	104,832	731	105,563
m - 21 P1-				TYPES 31-32	- LIGHT AIR-	CURED			
Type 31, Burle Total Leaf :		739.841	1,141,168:	472,798	758,638	1,231,436 :	313,155	690,117	1,003,272
Other Leaf 1/:		4,218	4,218:	492	2,471	2,963:	-	3,515	3,515
Total :	401,327	744,059	1,145,386 :	473,290	761,109	1,234,399 :	313,155	693,632	1,006,787
Type 32, South		2/ 225	77.0/1	55.0/0	0/ 100	70.000	(1.107	26 534	02 211
Total Leaf : Other Leaf 1/:		26,025 283	77,841 : 283 :	55,040	24,189	79,229 : 100 :	61,137	26,574 127	87,711 127
Total :		26,308	78,124:	55,040	24,289	79,329 :	61,137	26,701	87,838
Type 35, One S	ucker			TYPES 35-37	- DARK AIR-C	URED			
Total Leaf :		3,217	33,492:	32,093	2,822	34,915 :	29,494	3,542	33,036
Type 36. Green									
Total Leaf :	17,701	2,068	19,769:	17,341	2,323	19,664:	17,405	1,928	19,333
Type 37, Virgi	nia sun-cured								
Total Leaf :	3,792	140	3.932:	3.787	143	3,930 :	3,564	113	3,677
Types 35-37. T	otal dark air-	cured							
Total Leaf :	51,768	5,425	57,193:	53,221	5,288	58,509:	50,463	5,583	56,046
				EMBER 11 16	0701D 1711				
Type 41, Penns	ylvania Seedle	af		11FE5 41-46	- CIGAR LEAF	FILLEK			
В :		4	1,253:	848	3	851 :	1,925	4	1,929
C :		3,815	59,183:	56,023	3,872	59,895 :	60,636	3,960	64,596
Х : Ч :	29,510	626	30,136:	31,911	595	32,506 :	40,044	633	40,677
S	7,475 1.394	484 2,554	7,959 : 3,948 :	5,161 1,113	648 3,254	5,809 : 4,367_:	6,627 1,285	441 2,496	7,068 3,781
Total Leaf :		7,483	102,479:	95,056	8,372	103,428 :	110,517	7,534	118,051
Other Leaf 1/:		635	2.040	46	603	649 :	873	690	1,563
Total :		8,118	104,519:	95,102	8,975	104.077 :	111,390	8,224	119,614

See footnotes at end of table.

Continued --

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1967 compared with January 1, 1966, and October 1, 1966--Continued

REPORTED WEIGHT

TYPES 41-46 - CIGAR LEAF FILLER--Continued

Group :	Jar	nuary 1, 1967	2/	Jar	nuary 1, 1966	:	0c	tober 1, 1966	
	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
:	1,000 lb.	1,000 lb.	1,000 lb.:	1,000 1ь,	1,000 lb.	1,000 lb.:	1,000 1ь,	1,000 lb.	1,000 1ь
c :	2,030	31	2,061:	1,753	51	1,804:	1,797	42	1,839
X :	10,822	27	10,849 :	10,915	21	10,936 :	11,921	22	11,94
¥ :	-	-	-:	-	-	- :	-	-	
<u>s</u> :		198	198 :		286	286 :		247	24
Total Leaf : Other Leaf 1/:	12,852	256 40	13,108:	12,668	358 38	13.026 :	13.718	311	14,02
Total :	12,852	296	40 : 13,148 :	12,668	396	38 : 13,064 :	13,718	39 350	14.06
	•			3-1344		43,007			43.00
Type 46, Puerto C :	Rican (In Co			358	520	897 :			
C :	3,194	416 1,039	416 : 4,233 :	3,309	539 315	3,624:	2,870	515 1,025	51. 3,89.
s :	3,194	5,474	5,474:	3,309	7,439	7,448 :	2,070	5,955	5,95
Total Leaf :	3.194	6.929	10,123:	3,676	8,293	11.969 :	2,871	7,495	10.36
Other Leaf 1/:		56	56:	-	82	82 :	-	6.9	6
Total :	3,194	6.985	10.179 :	3,676	8,375	12.051 :	2,871	7,564	10.43
Type 46, Puerto	Rican (In Pr	erto Rico)							
C :	14,950	2,413	17,363 :	20,227	428	20,655 :	19,862	432	20,294
x :	10,089	29	10,118 :	12,543	5	12,548 :	10,968	22	10,990
S :	142	20	162 :	121	83	204 :	123	16	13
<u>N - :</u>	25,523	2,462	342 :	126	516	126 :	594	470	59
Total Leaf :	23.323	2,462	27,985:	33,017	210	33,533 :	31,547	470	32,01
Type 46. Total									
C :	14,950	2,829	17,779:	20,585	967	21,552 :	19,862	947	20,80
X :	13,283	1,068	14,351 :	15,852	320	16,172 :	13,838	1,047	14,88
S-N : Total Leaf :	484 28,717	5,494 9,391	5.978 : 38.108 :	256 36,693	7,522 8,809	7.778 : 45.502 :	718 34,418	5,971 7,965	6,68 42,38
Other Leaf 1/:	20./1/	56	56:	30,033	82	82 :		69	69
Total :	28.717	9,447	38,164:	36,693	8,891	45.584 :	34,418	8,034	42,45
Type 51. Connec	ticut Valley	Broadlasf		TYPES 51-55	- CIGAR LEAF	BINDER			
A :	1,211	23	1,234:	1,449	3	1,452 :	1,270	4	1,27
В :	7,484	156	7,640 :	6,967	107	7,074 :	7,601	165	7,76
C :	304	44	348 :	212	12	224 :	357	18	375
x :	2,674	2	2,676 :	2,014	3	2,017:	1,409	2	1,41
<u>s</u> :		292	292:	427	556	983 :	744	372	1,110
Total Leaf :	11.673	517	12,190 :	11.069 623	681 103	11.750 : 726 :	11,381	561 89	11,94
Other Leaf 1/: Total :	511 12,184		582 : 12,772 :	11,692	784	12,476_:	12,014	650	12,66
				4617/2		223777			
	ticut Valley		07/ 4	960		864 :	710	5	71.
A :	969 3,774	5	974 : 3,774 :	860 5,004	4 2	5,006 :	3,553	-	3,55
Č :	3,774	-	5,774:	97	1	98 :	3,333	1	3,33.
X :	402	35	437 :	257	î	258 :	310	ī	31
S :	1	57_	58:	29	184	213 :	24	97	12
Total Leaf :	5.152	97	5,249:	6,247	192	6.439:	4,605	104	4.70
Other Leaf 1/:			79:	133	-	133 :	75	- 10/	7.70
Total :	5,231	97_	5,328:	6,380	192	6.572 :	4,680	104	4.78
Type 54. South	ern Wisconsin								
B :	-	-	-:	-	1	1:	-	-	
C :	484		484 :	230	106	230 :	724	134	724
X :	11,214	121	11,335 :	19,176	126 31	19,302 :	20,942	20	21,07
Total Leaf :	7,731	206 327	7,937 : 19,756 :	19,406	158	19,564 :	21,667	154	21,82
Other Leaf 1/:	17,429	32/	4:		3	3:	54	5	. 51
Total :	19,429	331	19,760 :	19,406	161	19.567 :	21,721	159	21,88

See footnotes at end of table.

Continued --

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1967 compared with January 1, 1966, and October 1, 1966--Continued

REPORTED WEIGHT TYPES 51-55 - CIGAR LEAF BINDER--Continued

				11110	21-
Trong	5.5	Manthama	Ud coopeda		

Group	:	Jar	nuary 1, 1967	2/	Jan	uary 1, 1966	:	October 1, 1966		
	:	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	:	1,000 1ь.	1.000 lb.	1,000 lb.:	1,000 lb.	1,000 lb.	1,000 lb.:	1,000 1ь.	1.000 1ь.	1,000 lb.
	:			:			:			
В	:	2,828	22	2,850 :	3,200	16	3,216:	2,098	33	2,121
C	:	3,324	251	3,575 :	1,537	127	1,664 :	3,508	23	3,531
X	:	18,005	-	18,005 :	18,094	531	18,625 :	19,260	414	19,674
S	:	2	605	607 :		52	52 :	2	472	474
Total Leaf	. :	24,159	878	25,037 :	22,831	726	23,557:	24,868	942	25,810
Other Leaf	1/:	270	_ 114	384:	371	27	398 :	211	127	338
Total	:	24,429	992	25,421:	23,202	753	23,955:	25.079	1,069	26,148

TYPES 61-62 - CIGAR LEAF WRAPPER

Type 61, C	onnecti	cut Shade								
A	:	13,240	1,025	14,265 :	13,564	1,040	14,604 :	14,374	950	15,324
В	:	2,135	226	2,361:	1,305	9	1,314:	1,404	25	1,429
С	:	464	98	562 :	373	259	632 :	560	56	616
S	:	16	996	1,012:	34	879	913 :	1	934	935
Total Leaf	:	15,855	2,345	18,200:	15,276	2,187	17,463 :	16,339	1,965	18,304
Other Leaf	1/:	22	152	174:	32	159	191 :	13	145	158
Total	:	15,877	2,497	18,374:	15,308	2,346	17,654:	16.352	2,110	18,462

Type 62, Ge	orgia	and Florida	Shade							
A	:	7,118	540	7,658:	8,201	710	8,911 :	7,676	592	8,268
В	:	89	1	90 :	61	3	64:	127	1	128
C	:	93	51	144 :	78	23	101:	73	32	105
S	:	4	760	764:	12	429	441 :	88	648	656
Total Leaf	:	7,304	1,352	8,656:	8,352	1,165	9,517:	7,884	1,273	9,157
Other Leaf	1/:	-	23	23:		82	82:		8	8
Total	:	7,304	1,375	8.679:	8,352	1.247	9.599 :	7.884	1.281	9.165

GROUP SUMMARY ALL CIGAR TOBACCO 3/

January 1, 1967 2/

	:						Group							
Class	:	A	:	В	:	С	:	X	:	Y	:	S-N	:	Total
	: 1	,000 1ъ	-	1,000 lb	٠.	1,000 1	b.	1,000 lb.		1,000 1	0.	1,000 1	b.	1,000 1ь.
Filler, Types 41-46 4/	:			1,25	3	79,0	23	55,336		7,9	59	10,1	24	153,695
Sinder, Types 51-55	:	2,208	3	14,26		4,4		32,453			_	8,8		62,23
rapper, Types 61 62	:	21,92	3	2,45			06	- ,			-	1,		26,85
oreign, Types 81-88	:	5			_	45,8	317				-	22,		68,86
Total Leaf	:	24,183	2	17,96	8	129,9		87,789		7.9	59	43,		311,64
Other Leaf 1/	:													3,509
Total	-													315,156
	:					Januar	y 1, 1	1966						
111er, Types 41-46 4/	:			85	1	83,2	51	59,614		5,80)9	12,4	31	161,956
inder, Types 51-55		2,316	;	15,29		2,2		40,202		2,0	-	1,2		61,310
rapper, Types 61-62	:	23,515		1,37			33	,			-	1,3		26,980
oreign, Types 81-88	:	59		_,_,	_	61.7					-	30,2		92,118
Total Leaf	:	25,890)	17,52	5	147.9		99,816		5,80)9	45,3		342,364
Other Leaf 1/	:													2,463
Total	:													344.827
	:					Octobe	r 1, 1	.966						
iller, Types 41-46 4/	:			1,92		87,2	1.1.	67,505		7,06		10,7	17	174,463
inder, Types 51-55		1,989)	13,45		4,6		42,472		7,00	-	1.7		64,282
rapper, Types 61-62		23,592		1,55			21	42,4/2			_	1,5		27,461
oreign. Types 81-88	:	51		1,55	_	50,8					_	25,6		76,538
Total Leaf		25,632		16,93	5	143.4		109,977		7.06	8	39.6		342,744
Other Leaf 1/		47,032		10,73	,	143.4	72	107.711				27.0		3,156
Total														345,900

See footnotes at end of table.

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1967 compared with January 1, 1966, and October 1, 1966--Continued

REPORTED WEIGHT

TYPES 72-73 - MISCELLANEOUS DOMESTIC

Type 72, Periqu	1e									
Group :		nuary 1, 1967			ary 1, 1966	:	October 1, 1966			
:	Unstemmed: 1,000 lb.	Stemmed : 1,000 lb.	Total : 1,000 lb. :	Unstemmed:	Stemmed : 1,000 lb.	Total : 1,000 lb. :	Unstemmed:	Stemmed : 1,000 lb.	Total 1,000 1b	
Iotal Leaf :	48	415	463 :	94	397	491	45	521	56	
Type 73, Other		8 domestic 5/	3,820 :		2 2/1	0.0/1				
Total Leaf :	<u></u>	3,819	3,820 :	<u> </u>	2,341	2,341 :	-	3,029	3,02	
			TY	PES 81-88 -	FOREIGN-GRO	WN CIGAR-LEAF				
Type 81, Cuba	51		51 :	59		59 :	51	<u></u>	5	
C :	1,332	1,118	2,450 :	2,298	2,493	4,791 :	1,377	1,230	2,60	
S :	369	938	1,307 :	904	834	1,738 :	433	1,100	1,53	
Cotal Leaf :	1,752	2,056	3,808 :	3,261	3,327	6,588 :	1,861	2,330	4.1	
ther Leaf 1/:		7	7:	3	14	17:		6		
Total :	1,752	2,063	3,815 :	3,264	3,341	6,605 :	1,861	2,336	4,1	
ype 82, Indone	4,052	245	4,297 :	5,617	219	5,836 :	4,512	209	4,7	
Other Leaf 1/:	13	-	13 :	30	7	37 :	11			
Total :	4,065	245	4,310 :	5,647	226	5,873 :	4,523	209	4,7	
Type 83, Philip		22 002	22 755	1 100	20.777	20.542	100	05 242	00.00	
Total Leaf : Other Leaf 1/:	673 17	23,082	23,755 : 78 :	1,123	28,444 49	29,567 : 58 :	490 17	25,747 52	26,2	
Total :	690	23,143	23,833 :	1.132	28,493	29,625 :	507_	25,799	26,30	
Cype 84, Brazil										
Cotal Leaf :		2,097	10,198 :	11,434	1,420	12,854:	8,825	1,812	10,63	
Other Leaf 1/: Total :	8,101	2,097	10,198:	11,434	1,431	11:	8,825	1,812	10,6	
Type 85, Colomb	ia									
Total Leaf :	7,075	1,757	8,832 :	10,766	1,988	12,754:	8,022	1,776	9.79	
Other Leaf 1/:		8	8:		17	17:	-	5		
Total :	7,075	1,765	8,840 :	10,766	2,005	12,771 :	8,022_	1,781	9,80	
Type 86, Domini Total Leaf :	can Republic 4,346	2,895	7,241 :	8,128	3,903	12,031 :	5,218	3,401	8,61	
Other Leaf 1/:	13	- 2,000	13:	0,120	12	12:	11	7,401	1	
Total :		2,895	7,254:	8,128	3,915	12,043:	5,229	3,401	8,63	
Type 87, Paragu							4.000		0.54	
Total Leaf :	1,344	525	1,869 :	2,996	797 9	3,793:	1,878	664 18	2,54	
Other Leaf 1/: Total :	1,344	525	1,869 :	2,996	806	3,802:	1,878	682	2,56	
Type 88, Other	foreign-grown	cicar-leaf								
Cotal Leaf :	6,699	2,165	8,864 :	7,044	1,651	8,695 :	7,848	1,945	9,79	
Other Leaf 1/: Total :	6,699	2,173	8:	7,044	1,651	8,695 :	7,848	1,950	9,79	
						VI-17-				
Types 81-88, To Total Leaf :		grown cigar-le 34,822	68,864 :	50,369	_ 41,749	92,118 :	38,654	37,884	76,53	
Other Leaf 1/:	43	84	127 :	42	119	161 :	39	86	12	
Total :	34,085	34,906	68,991 :	50,411	41,868	92,279 :	38,693	37,970	76,66	
		TYPE 90	- FOREIGN-	GROWN CIGARET	TTE AND SMOKI	NG TOBACCO (TU	RKISH AND OTH	ER)		
Table 1 Table 1	296,189	658	296,847 :	261,285	566	261,851:	292,681	785	293,46	
			1 250	201	479	760 :	460	666	1,12	
Total Leaf : Other Leaf 1/: Total :	296,833	706 1,364	1,350 : 298,197 :	261,566	1,045	262,611:	293,141	1,451	294.59	

TYPES 11-90 - TOTAL ALL TYPES

Total Leaf : 1,995,44	9 2,118,253	4,113,702 :	2,145,609	2,163,779	4.309.388 :	2,006,627	1,971,016	3,977,643
Other Leaf 1/: 4,37	0 13,491	17,861 :	2,775	8,953	11,728:	3,203	11.736	14,939
Total : 1,999,81	9 2,131,744	4,131,563 :	2,148,384	2,172,732	4.321,116:	2,009,830	1,982,752	3,992,582

Local: 1,777,017 2,101,144 4,101,000 : 2,148,384 2,112,132 4,321,116 : 2,007,830 1,782,72 3,992,582

| Represents leaf tobacco in stocks of reconstituted or processed tobacco sheet. 2/ Subject to revision.
| Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.
| Lincludes Puerto Rican on the Island, Type 46. 5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

Table 5.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and wrapper, and for cigarettes (including smoking tobacco), separately 1/2

REPORTED WEIGHT

U.S. : type :		1967	January 1, 1966	1965	October 1, 1966	July 1, 1966	April 1
number :		: 1707	1,700		<u>: :</u>		<u>:</u>
:		: 1,000 lb.	1,000 lb.	1,000 1ь.	1,000 lb.	1,000 lb.	1,000
11-14 :	Unstemmed	: -	9	6	-	-	2
:	Stemmed	:	7		-	12	1
	Total	: -	16	6		12	17
32	Stemmed	: 46	46	38	51	61	65
41 :	Unstemmed	: 40	46	43	43	50	44
:	Stemmed	:635	603	742	690	843	731
	Total	: 675 :	649	785	733	893	775
42-44 :	Stemmed	÷ 40	38	43	39	48	50
46	Stemmed	: : 56	82	109	69	109	128
51 :	Unstemmed	: : 511	623	650	633	792	935
:	Stemmed	:71	103	93	89	125	150
	Total	582	726	743	722	917	1,085
52	Unstemmed	79	133	197	75	90	74
54 :	Unstemmed	: -	-	-	54	-	
:	Stemmed	:4	3	5	5	3	
	Total	: 4	3	5	59	3	
55 :	Unstemmed	: 270	371	357	211	276	346
:	Stemmed	:114	27	14	12.7	100	121
	Total	384	398	371	338	376	46
61 :	Unstemmed	: 22	32	52	13	20	15
:	Stemmed	: 152	159	282	145	167	216
:	Total	: 174	191	334	158	187	231
62	Stemmed	23	82	-	8	24	64
81 :	Unstemmed	: -	3		-	-	
:	Stemmed Total	: <u>7</u>	14 17	28 28	6	3 3	10
82 :	Unstemmed	: 13	30	28	11	10	1
:	Stemmed	:	7	20		10	19
83 :	Total Unstemmed	: 13 : 17	<u>37</u> 9	48	11 17	20 15	30 12
:	Stemmed	: 61	49	36	52	71	7.
:	Total	: 78	58	36	69	86	87
84 :	Stemmed	-	11	20	5	17 21	21
85 : 86 :	Stemmed Unstemmed	: 8	17	9	11	11	1
:	Stemmed	:	12	16	-	10	25
:	Total	: 13	12	16	11	21	43
87 : 88 :	Stemmed Stemmed	: -	9 -	-	18	14	
: Total :	Unstemmed	: : 965	1,256	1,333	1,068	1,264	1,464
:	Stemmed Total	: 1,225 : 2,190	1,269 2,525	1,455 2,788	1,309 2,377	1,638 2,902	1,722 3,186
			igarettes (ir			21,702	3,10,
11-14 :	Unstermed	: 1,396	746	162	845	666	68
:	Stemmed Total	7,105	4,680	3,186	6,170	6,012	5,339
31 :	Unstemmed	: 8,501	5,426 492	3,348	7,015	6,678 250	6,026 503
:	Stemmed	:4,218	2,471	1,517	3,515	3,599	2,860
22	Total	: 4,218	2,963	1,517	3,515	3,849	3.363
32 : 41 :	Stemmed Unstemmed	: 237 : 1,365	54	32	76 830	70 495*	124
90 :	Unstemmed	: 644	281	134	460	500	320
:	Stemmed	706	479	298	666	642	59
Total :	Total Unstemmed	: 1,350 : 3,405	760 1,519	432 296	1,126 2,135	1,142 1,911*	1,634
:	Stemmed	:12,266	7,684	5,033	10,427	10,323	8,860
:	Total	: 15,671	9,203	5,329	12,562	12,234*	10,49
				Count Total			
Total :	Unstemmed	: 4,370	2,275	Grand Total 1,629	3,203	3,175*	3,098

^{1/} These stocks included in table 4 under respective type as "Other Leaf". * Revisions.

Table 6.--Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, January 1, 1967 compared with January 1, 1966 $\underline{1}/\underline{2}/$

REPORTED WEIGHT

U.S. :	Repo	orted as owned	by manufacture	rs <u>3</u> /	Reported as	owned by dealer	rs (including l	oan stocks <u>3</u> /			
type		January 1, 196	7			January 1, 1967					
number	Unstemmed	Stemmed	Total	January 1, 1966	Unstemmed	Stemmed	Total	January 1, 1966			
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 1ь.	1.000 lb.			
11 :	5,739	352,657	358,396	339,917	399,322	84,203	483,525	500,273			
12 :		346,759	355,017	379,677	252,399	62,081	314,480	327,690			
13 :	-,	277,834	2 81,536	308,849	109,018	39,874	148,892	185,700			
14:	49	103,091	103,140	113,848	66,132	17,463	83,595	78,844			
11-14		1,087,446	1,106,5901/	1,147,7331/	826,871	_203,621_	1,030,492	1,092,507			
21		74	7,303	7,573	5,862	19	5,881	6,980			
22		515	35,453	38,954	28,620	25	28,645	27,238			
23	6,413	7	6,420	6,541	12,440		12,440	11.083			
	48,580	596	49,176	53,068	46,922	44	46,966	45,301			
31 :		726,962	832,327	890,009	295,962	17,097	313,059	344,390			
32 :	2,789	25,989	28,778	40,241	49,027	319	49,346	39.088*			
31-32		752,951	861,105	930,250	344,989	17,416	362,405	383,478*			
35		3,217	19,156	19,941	14,336	_	14,336	14,974			
36	9,422	2,050	11,472	12,272	8,279	18	8,297	7,392			
37	3,350	137	3,487	3,465	442	3	445	465			
35-37 :		5,404	34,115	35,678	23,057	21	23,078	22,831			
41 :	68,279	7,840	76,119	92,028*	28,122	278	28,400	12,049			
42-44 :	11,375	280	11,655	11,803	1,477	16	1,493	1,261			
46 4/ :		9,202	27.537	36,010	10,382	245	10,627	9.574*			
41-46	97,989	17.322	115,311	139,841*	39,981	539	40,520	22,884*			
51		502	8,592	9,525*	4,094	86	4,180	2,951			
52 :		93	1,991	2,767*	3,333	4	3,337	3,805			
54 :		125	18,479	19,306	1,075	206	1,281	261			
55 :	18,287	942	19,229	21,168*	6,142	50	6,192	2,787			
51-55		1,662	48,291	52,766*	14,644	346	14,990	9,804			
			1/ 000	1/ 0/04	0.060	07/	2 526	2 5024			
61 : 62 :	12,617 4,141	2,221	14,838	14,062* 5,673*	3,260 3,163	276 381	3,536 3,544	3,592* 3,926*			
61-62		994 3,215	5,135 19,973	19,735*	6,423	657	7,080	7,518			
VI V2 .		J,217	17,77,7	17,735	0,723.	557	7,000	71,520			
72	7	311	318	261	41	104	145	230			
73 5/ :		3,799	3,800	2,279	-	2.0	20	62			
72-73 :	. 8	4,110	4,118	2,540	41	124	165	292			
:						70	205	1 071			
81 :	-,	1,991	3,520	4,634*	223 2	72 4	295	1,971			
82 : 83 :	4,063 395	241	4,304	5,859 16,991	295	10,085	6 10,380	14 12,634			
84 :	6,496	13,058 1,559	13,453 8,055	11,100	1,605	538	2,143	1,765			
85	5,418	1,610	7,028	9,995	1,657	155	1,812	2,776			
86	3,599	2,764	6,363	10,301	760	131	891	1,742			
87 :	5	294	299	521	1,339	231	1,570	3,281			
88 :	4,401	1,459	5.860	5,406*	2,298	714	3,012	3,289			
81-88 :		22,976	48.882	64,807*	8,179	11,930	20,109	27,472			
90	296,313	1,332	297,645	262,319	520	32	552	292_			
11-90		1,897,014	2,585,206	2,708,737*	1,311,627	234,730	1,546,357	1,612,379*			

 $[\]underline{\mathbf{I}}/$ Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

^{2/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

^{3/} This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers represents domestic manufacturers only. All Government loan stocks are included as dealers holdings.

^{4/} Includes stocks on the Island of Puerto Rico.

^{5/} For explanation of stocks included in this classification see footnote 5 on page 15.

^{*} Revisions.

Table 7.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, January 1, 1967 compared with other quarters 1/2/2

REPORTED WEIGHT

	: : U.S.	J	anuary 1, 19	67	January 1,	· Ostobon 1	Ontober
Type name	: type	: : Unstemmed	: Stemmed	: Total	1966	October 1, 1966	October 1 1965
	:	:	:	: :	1 000 11	1 000 11	1 000 11
	:	: 1,000 lb.	1,000 lb.	1.000 1ь.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured		: 405,061	436,860	841,921	840,190	730,152	746,993
Bastern North Carolina flue-cured		: 260,657	408,840	669,497	707,367	669,891	708,843
South Carolina flue-cured (including Southeastern N. C.)		: 112,720	317,708	430,428	494,549	470,303	540,875
Georgia and Florida flue-cured	: 14	: 66,181	120,554	186,735	192,692	214,900	226,004
Total Flue-cured		: 846,015	1,291,067	2,137,0821/		2,092,2611/	2,227,168
Virginia fire-cured		: : 13,091	93	13,184	14,553	13,702	12,649
Tennessee and Kentucky fire-cured (Eastern District)		63,558	540	64,098	66,192	71,217	78,562
Kentucky and Tennessee fire-cured	: 23	18,853	7	18,860	17,624	20,644	21,922
(Western District) Total Fire-cured	21-23	: 95,502	640	96,142	98,369	105,563	113,133
20121 1110 00100	:	:	-				
Burley Southern Maryland	: 31 : 32	: 401,327 : 51,816	744,059 26,308	1,145,386 78,124	1,234,399 79,329	1,006,787	1,034,413
Total Light Air-cured	31-32	: 453,143	770,367	1,223,510	1.313.728	87.838 1,094,625	87,046 1,121,459
One Sucker	: : 35	: : 30,275	3,217	22 / 02	34,915	22 026	34 640
one Sucker Green River		: 17,701	2,068	33,492 19,769	19,664	33,036 19,333	34,640 18;960
Virginia sun-cured	:37	3,792	140	3.932	3,930	3,677	3,680
Total Dark Air-cured	: 35-37	: 51,768	5,425	57.193	58.509	56,046	57,280
Pennsylvania Seedleaf	: : 41	: 96,401	8,118	104,519	104,077	119,614	120,136
Dhio Filler (Miami Valley)	: 42 - 44	: 12,852	296	13,148	13,064	14,068	14,948
Puerto Rico:		. 2.10/	(005	10 170	12 051	10 /25	11 770
In United States In Puerto Rico	: 46 : 46	3,194 25,523	6,985 2,462	10,179 27,985	12,051 33,533	10,435 32,017	11,772 40,003
Total Cigar-filler	41-46	: 137,970	17.861	155.831	162,725	176.134	186,859
Connecticut Valley Broadleaf	: : 51	: : 12,184	588	12,772	12,476	12,664	13,454
Connecticut Valley Havana Seed	: 52	5,231	97	5,328	6,572	4,784	5,895
Southern Wisconsin		: 19,429	331	19,760	19,567	21,880	22,066
Northern Wisconsin	:55	: 24,429	992	25.421	23.955	26.148	25,767
Total Cigar-binder		: 61,273 :	2,008	63,281	62,570	65.476	67,182
Connecticut shade	: 61	: 15,877	2,497	18,374	17,654	18,462	17,424
Georgia and Florida shade	: 62	7,304	1,375	8,679	9,599	9,165	9.049
Total Cigar-wrapper		: 23,181 :	3,872	27,053	27,253	27,627	26,473
Perique	: 72	: 48	415	463	491	566	549
Other Miscellaneous Domestic 4	: 73	: 1	3,819	3,820	2,341	3,029	2,383
Total Miscellaneous Domestic		: 49	4,234	4,283	2,832	3,595	2,932
Cuba	: 81	: 1,752	2,063	3,815	6,605	4,197	7,558
Indonesia		: 4,065	245	4,310	5,873	4,732	6,398
Philippine Islands		: 690	23,143	23,833	29,625	26,306	26,747
Brazil Colombia		: 8,101 : 7,075	2,097 1,765	10,138	12,865	10,637	13,394
Dominican Republic		: 4,359	2,895	8,840 7,254	12,771 12,043	9,803 8,630	13,914 13,969
Paraguay	: 87	1,344	525	1,869	3,802	2,560	3,202
Other foreign-grown cigar-leaf	:88	6,699	2,173	8,872	8,695	9,798	9,134
Total Foreign-grown Cigar-leaf	: 81-88	34,085	34,906	68,991	92,279	76,663	94.316
Foreign-grown cigarette and smoking	:	:					
tobacco (Turkish and other)	90	296,833	1,364	298,197	262,611	294.592	256,639
Total All Types	: : 11-90	: : 1,999,819	2,131,744	4,131,563	4,321,116	3,992,582	4,153,441
	*	•					

^{1/} Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.
2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1966, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

3/ Subject to revision.

4/ For explanation of stocks included in this classification see footnote 5 on page 15.



UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON, D. C. 20250

Postage and Fees Paid
U. S. Department of Agriculture

January 1, 1967
OFFICIAL BUSINESS

NOTICE
:If you no longer need this
:publication, check here
return this sheet, and your name will
be dropped from the mailing list.
:
:If your address should be changed,
write the new address on this sheet
and return the whole sheet to:
•
:Tobacco Division
:Consumer & Marketing Service
:U.S. Department of Agriculture
:Washington, D. C. 20250

